#### (19) World Intellectual Property Organization International Bureau



## 

#### (43) International Publication Date 8 February 2001 (08.02.2001)

### (10) International Publication Number WO 01/09964 A1

H01L 35/30, (51) International Patent Classification7: 35/32, A63H 3/38, 3/00

(21) International Application Number: PCT/GB00/02936

(22) International Filing Date: 31 July 2000 (31.07.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 990100260 30 July 1999 (30.07.1999)

(71) Applicants (for all designated States except US): IN-STITUTE OF MICROELECTRONICS [GR/GR]; National Centre for Scientific Research "Demokritos", P.O. Box 60228, Aghia Paraskevi, GR-153 10 Attiki (GR). MCNEIGHT, David, Leslie [GB/GB]; McNeight & Lawrence, Regent House, Heaton Lane, Stockport, Cheshire SK4 1BS (GB).

(71) Applicant and

(72) Inventor: NASSIOPOULOU, Androula, G. [GR/GR]; Institute of Microelectronics, National Centre for Scientific Research "Demokritos", P.O. Box 60228, Ahgia Paraskevi, GR-153 10 Attikis (GR).

(74) Agents: MCNEIGHT, David, Leslie et al.; McNeight & Lawrence, Regent House, Heaton Lane, Stockport, Cheshire SK4 1BS (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: THIN FILM THERMOPILE ARRANGEMENT



device comprises: a thick porous silicon layer; "hot" thermocouple contacts on said thick porous silicon layer; a bulk crystalline silicon member; and "cold" thermocouple contacts on said bulk, crystalline silicon layer.

#### THIN FILM THERMOPILE ARRANGEMENT

This invention relates to thermopile arrangements.

A thermopile arrangement is disclosed in WO 98/50763 in a gas flow sensor based on porous silicon. The thermopile generates an electric potential in response to a temperature change induced by a gas flow, and a hot resistor is also incorporated, heated with constant power.

It is now found that thermopile arrangements can be constructed using silicon technology which can be used to generate useful quantities of electric current.

The invention comprises a current generating thermopile arrangement having a plurality of thermocouples, characterised in that the device comprises:

- a thick porous silicon layer;
- "hot" thermocouple contacts on said thick porous silicon layer;
- a bulk crystalline silicon member; and
- "cold" thermocouple contacts on said bulk, crystalline silicon layer.

The arrangement may be further characterised by having an encapsulation affording a ready heat path from an external contact such as a human finger to the hot thermocouple contacts.

The arrangement may be incorporated in a circuit with a device adapted to be powered by current from the arrangement when activated by heat contact. The device may comprise a light emitting diode. The circuit may be incorporated in a child's toy, which can light up on finger contact.

One embodiment of a current generating thermopile arrangement according to the invention will how be described with reference to the accompanying drawings, in which:

Figure 1 is a perspective view of a thermocouple

arrangement;

Figure 2 is a view of an arrangement like Figure 1

encapsulated; and

Figure 3 is a view of a circuit including an arrangement

like Figure 2 and light emitting nodes in a child's toy.

The drawings illustrate a current generating arrangement 11 having a plurality of thermocouples 12.

The arrangement comprises a crystalline silicon die 12, a thick porous silicon layer 13 and a passivation layer 14.

"Hot" thermocouple contacts 15 are on the thick porous silicon layer, "cold" thermocouple contacts 16 are on the bulk crystalline layer - the die 12.

The layers can be made by micromachining and/or deposition, the thermocouple elements and pads 17 for power take-off by deposition and/or etching in the usual way.

By approximately linking the thermocouples in series and/or parallel an arrangement having an area not much bigger than a child's fingerprint can be made to generate enough current at a suitable voltage to power a light emitting diode.


The arrangement may be encapsulated in any desired fashion save that, as seen in Figure 2, there is an area 21 above the "hot" thermocouple contacts 15 which affords a ready heat path thereto. Of course, the aim is to heat these contacts, while leaving the "cold" contacts at a lower temperature.

The arrangement 11 can be deployed in a child's toy, such as the toy cat 31 of Figure 3, the arrangement 11 being incorporated in a button 32 and being connected in a circuit 34 including two light emitting diodes, one in each eye 33. When a child presses on the button 32, the eyes 33 will light up.

Of course, the arrangement may be used also to power more serious devices. For example, to provide for back illumination for liquid crystal displays of electronic watches, calculators and organisers is - by comparison with the rest of the device-a heavy drain on battery power. By providing a device 11 in a keyboard button, enough current can be generated by finger contact to provide for screen illumination without loading the battery. Indeed sufficient power may be generated for the entire operation of a calculator or organiser, as by having a finger contact area in or by the keyboard area.

#### **CLAIMS**

- 1. A current generating arrangement having a plurality of thermocouples characterised in that the device comprises:
- a thick porous silicon layer;
- "hot" thermocouple contacts on said thick porous silicon layer;
- a bulk crystalline silicon member; and
- "cold" thermocouple contacts on said bulk, crystalline silicon layer.
- 2. An arrangement according to claim 1 characterised by having an encapsulation affording a ready heat path from an external contact such as a human finger to the hot thermocouple contacts.
- 3. An arrangement according to claim 2 characterised by being incorporated in a circuit with a device adapted to be powered by current from the arrangement when activated by heat contact.
- 4. An arrangement according to claim 3 in which the device comprises a light emitting diode.
- 5. An arrangement according to claim 3 and claim 4 in which the circuit is compressed in a child's toy.



SUBSTITUTE SHEET (RULE 26)

# INTERNATIONAL SEARCH REPORT

PCT/GB 00/02936

	FICATION OF SUBJECT MATTER H01L35/30 H01L35/32 A63H3/	38 A63H3/00	
IPC 7	H01F32\20 H01F32\25 V02H2\	30 7031137 00	
		66d IDC	
	International Patent Classification (IPC) or to both national classi SEARCHED	fication and IPC	
	SEARCHED  currentation searched (classification system followed by classific	ation symbols)	····
IPC 7	HO1L A63H		
Documentat	ion searched other than minimum documentation to the extent tha	at such documents are included in the fields se	arched
Electronic da	ata base consulted during the international search (name of data	base and, where practical, search terms used	)
EPO-In	ternal, WPI Data, PAJ		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
X	WO 98 50763 A (NASSIOPOULOU AND ;NCSR DEMOKRITOS (GR); KALTSAS (G) 12 November 1998 (1998-11-1 page 1, line 7 ~ line 9; claim	GRIGORIS 2)	1
A	US 5 689 087 A (JACK MICHAEL D) 18 November 1997 (1997-11-18) column 9, line 5 - line 47; cla figure 7G	1	
А	DE 195 30 382 A (LUBETZKI JOHAN; MEINERS HORST (DE)) 20 February 1997 (1997-02-20) column 1, line 25 - line 31 column 1, line 50 - line 53 claim 1		2,3
		-/	
	·		
X Furt	L	Patent family members are listed	in annex.
° Special ca	ategories of cited documents:	"T" later document published after the inte	
	ent defining the general state of the art which is not Jered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or the	
"E" earlier	document but published on or after the international	invention "X" document of particular relevance; the c	laimed invention
*L* docume	ent which may throw doubts on priority claim(s) or	cannot be considered novel or cannot involve an inventive step when the doc	cument is taken alone
citatio	is cited to establish the publication date of another n or other special reason (as specified)	"Y" document of particular relevance; the considered to involve an involve an involve an involve and i	ventive step when the
other	ent referring to an oral disclosure, use, exhibition or means	document is combined with one or mo ments, such combination being obviou in the art.	
	ent published prior to the international filing date but han the priority date claimed	"&" document member of the same patent	
Date of the	actual completion of the international search	Date of mailing of the international sea	irch report
1	3 October 2000	20/10/2000	
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fay: (-31-70) 340-3016	Ahlstedt, M	

## INTERNATIONAL SEARCH REPORT

Internatic... Application No PCT/GB 00/02936

	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	Delevent to delevable
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Ą	US 2 957 273 A (HUGHES E.L) 25 October 1960 (1960-10-25) the whole document 	4,5

2

## INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat J Application No PCT/GB 00/02936

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9850763	Α	12-11-1998	GR 1003010 B	20-11-1998
US 5689087	Α	18-11-1997	NONE	
DE 19530382	Α	20-02-1997	NONE	
US 2957273	Α	25-10-1960	NONE	

Form PCT/ISA/210 (patent family armex) (July 1992)